



## Commercial Stainless Steel Storage Tank Replacement Parts

### SSJST Models



**Models Covered:**  
**SSJST(80,115)**

***Effective: November, 2025***  
***ECO 8935***

**NOTE: BOTH MODEL AND SERIAL  
NUMBERS ARE REQUIRED FOR  
ORDERING REPLACEMENT PARTS**

Dimensions and specifications  
subject to change without notice.



As required by the state of California Proposition 65



Item	Description	Model	Model
		SSJST80	SSJST115
1	T&P Relief Valve*	---	---
2	Thermowell	415-56524-00	415-56524-00
3	Brass Drain Valve	415-48070-01	415-48070-01

\* A combination temperature and pressure relief valve is required by code as a protective device. It is not normally supplied by the tank manufacturer as original equipment. It is traditionally provided by the installer and is shown here for replacement parts purposes. The T&P valve for these storage tanks must be rated for the BTU input of the heater of the system where installed. P/N 415-33630-04 T&P is a valve with 1" NPT female threads rated for 750,000 BTU applications. A 1" NPT brass nipple of at least 2-1/2" length must be used, such as P/N 239-44321-06.



## United States

---

<b>Sales</b>	<b>1-800-523-2931</b>
<b>Technical Support</b>	<b>1-888-443-4394</b>
<b>Email</b>	<b><i>techsupport@bradfordwhite.com</i></b>
<b>Warranty</b>	<b>1-800-531-2111</b>
<b>Email</b>	<b><i>warranty@bradfordwhite.com</i></b>
<b>Service Parts</b>	<b>1-800-538-2020</b>
<b>Email</b>	<b><i>parts@bradfordwhite.com</i></b>

## Canada

---

<b>Sales</b>	<b>1-866-690-0961 1-905-203-0600</b>
<b>Fax</b>	<b>905-636-0666</b>
<b>Warranty</b>	<b>1-800-531-2111</b>
<b>Email</b>	<b><i>warranty@bradfordwhite.com</i></b>
<b>Technical Support</b>	<b>1-888-443-4394</b>
<b>Email</b>	<b><i>techsupport@bradfordwhite.com</i></b>
<b>Service Parts and Orders</b>	<b><i>ca.orders@bradfordwhite.com</i></b>

For U.S. and Canada field service, contact your professional installer or local Bradford White sales representative.

## International

---

<b>General Contact</b>	<b><i>international@bradfordwhite.com</i></b>
------------------------	---